

EMERGENCY PURCHASE JUSTIFICATION

January 24, 2014

To: Chuck McMahon
Assistant County Manager, Operations

From: Kurt Moffatt *KM*
Utilities Manager

An emergency purchase is requested from James, Cooke and Hobson (\$4,074.32) for a Flygt pump repair at CRRUA's Mason Farms lift station. The repairs are necessary to prevent a sewage spill or backups in residents' homes. James, Cooke and Hobson Inc. is the authorized Flygt pump service center in this region.

Approved

KM 1/24/14



JAMES, COOKE & HOBSON, INC.

4709 Ripley Drive El Paso, TX 79922
Phone: 915.581.5458 Fax: 915.581.9242
E-mail: jap@jchinc.com

December 11, 2013

To: Camino Real Regional Utility Authority
Attn: Ernie Carranza
Phone: 915.238.8739
Fax: ernestoc@donaanacounty.org

Quotation #: 12113MISC-A
Job Name: Flygt
Location: Sunland Park, NM
Quotation By: Jonathan Polasek

Unless otherwise stated: Prices are firm for 30 days from bid date, payment terms are 50% down and 50% with shipment (unless credit is approved). Interest shall accrue at 0.5% per month on past due amounts per month. Freight terms are FOB Jobsite, pick up, delivery and installation by JCH. Any taxes are additional. Items included are only those listed below. Please review carefully.

*****Basic Pump Repair Estimate*****

Repair of Flygt Pump Model 3153.180-0340222. This is only an estimate - actual repair may cost more or less than estimate.

Repair Includes:


1	FLYGT BASIC REPAIR KIT P/N 657 17 08	\$1636.49
	INCLUDES: O-RING KIT	
	PLUG-IN-SEAL	
	UPPER BEARING	
	LOWER BEARING	
	RETAINING RINGS	
	SPRING WASHER	
1	FLYGT MOTOR STATOR P/N 6419405	\$1,474.00
2	FLYGT CABLE GROMMETS P/N 84 18 04	\$46.00
1	GALLON OF MONOPROPYLENE GLYCOL	\$24.27
1	LABOR FOR REPAIR AND INSTALLATION	\$850.00
1	ESTIMATED TAX ON LABOR 5.125% X \$850.00	\$43.56

TOTAL \$4,074.32

Cost For Replacement Pump \$13,594 Each + Freight

Notes:

Please allow approx. 2-3 weeks, **after approval**, for completion of repair, ARO
Please note this estimate does not include the impeller, or any parts other than those listed above.
Thanks for the opportunity to quote


Jonathan Polasek